


Equine Body Condition Score



1



SCORE	DESCRIPTION
1	POOR Horse is extremely emaciated. The backbone, ribs, hipbones, and tailhead project prominently. Bone structure of the withers, shoulders, and neck easily noticeable. No fatty tissues can be felt.
2	VERY THIN Horse is emaciated. Slight fat covering over vertebrae. Backbone, ribs, tailhead, and hipbones are prominent. Withers, shoulders, and neck structures are discernible.



3

3	THIN Fat built up about halfway on vertebrae. Slight fat layer can be felt over ribs, but ribs easily discernible. The tailhead is evident, but individual vertebrae cannot be seen. The hipbones cannot be seen, but withers, shoulder, and neck are emphasized.
4	MODERATELY THIN Negative crease along back. Faint outline of ribs can be seen. Fat can be felt along tailhead. Hip bones cannot be seen. Withers, neck, and shoulders not obviously thin.


ILLUSTRATIONS BY ROBIN PETERSON, DVM; BASED ON TEXAS A&M UNIVERSITY BODY CONDITION SCORE



5



5	MODERATE Back is level. Ribs can be felt, but not easily seen. Fat around tailhead beginning to feel spongy. Withers are rounded and shoulders and neck blend smoothly into the body.
6	MODERATELY FLESHY May have a slight crease down the back. Fat on the tailhead feels soft. Fat over the ribs feels spongy. Fat beginning to be deposited along the sides of the withers, behind the shoulders, and along the neck.
7	FLESHY A crease is seen down the back. Individual ribs can be felt, but noticeable filling between ribs with fat. Fat around tailhead is soft. Noticeable fat deposited along the withers, behind the shoulders, and along the neck.



9



7

8	FAT Crease down back is prominent. Ribs difficult to feel due to fat in between. Fat around tailhead very soft. Area along withers filled with fat. Area behind shoulders filled in flush with the barrel of the body. Noticeable thickening of neck. Fat deposited along the inner buttocks.
9	EXTREMELY FAT Obvious crease down back. Fat is in patches over rib area, with bulging fat over tailhead, withers, neck, and behind shoulders. Fat along inner buttocks may rub together. Flank is filled in flush with the barrel of the body.